- Read PLCM Guidance ITIC Template 2.2.doc before completing this form.
- When sections of criteria do not apply, or deemed by the customer as not applicable, the section is noted as such and the rest of that table may be removed for that section.
- When multiple standards are being recorded in this document, the duplicative sections are noted and responded to only one time. The duplicate entry will note the cross reference to the data.

Poly Accessibility Conformance Report Revised Section 508 Edition

VPAT® Version 2.2 – July 2018

Name of Product/Version: Calisto 7200

Product Description: Bluetooth and USB speakerphone with exceptional conferencing performance that features four directional microphones that provide 360° coverage and filters out unwanted noise along with touch-sensitive controls.

Date: 12 Feb, 2020

Contact information: accessibility@plantronics.com or: accessibility@poly.com

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Evaluation Methods Used:

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at http://www.w3.org/TR/2008/REC-	Level A (Yes)
WCAG20-20081211/	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards as published by the U.S. Access Board in the Federal	
Register on January 18, 2017	(Yes)
<u>Corrections to the ICT Final Rule</u> as published by the US Access Board in the Federal	(163)
Register on January 22, 2018	

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with:

• Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing

• Chapter 6 – 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcashee.com/wca

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:

Conformance Level	Remarks and Explanations
Web:	Web:
Electronic Docs:	Electronic Docs:
Software:	Software:
Authoring Tool:	Authoring Tool:
Web:	Web:
Electronic Docs:	Electronic Docs:
Software:	Software:
Authoring Tool:	Authoring Tool:
Web:	Web:
Electronic Docs:	Electronic Docs:
Software:	Software:
Authoring Tool:	Authoring Tool:
Web:	Web:
Electronic Docs:	Electronic Docs:
Software:	Software:
Authoring Tool:	Authoring Tool:
Web:	Web:
Electronic Docs:	Electronic Docs:
Software:	Software:
Authoring Tool:	Authoring Tool:
Web:	Web:
Electronic Docs:	Electronic Docs:
Software:	Software:
	Web: Electronic Docs: Software: Authoring Tool: Web: Electronic Docs: Software: Authoring Tool:

Page **4** of **47**

Sol (Web)(Software) Sol.2 (Authoring Tool) Sol.2 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 Sol (Web)(Software) Sol.2 (Authoring Tool) Sol.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 Sol (Web)(Software) Sol.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 Sol (Web)(Software) Sol.2 (Authoring Tool) Sol.2 (Authoring Tool) Sol.2 (Authoring Tool) Sol.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 Sol (Web)(Software) Sol (Web)(Software) Sol (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 Sol (Web)(Software) Sol (Web)(Software) Also applies to: Revised Section 508 Sol (Web)(Software) Also applies to: Revised Section 508 Sol (Web)(Software) Also applies to: Revised Section 508 Sol (Web)(Software) Also applies to: Authoring Tool:	Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) Authoring Tool: Web: Revised Section 508 501 (Web)(Software) 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 501 (Web)(Software) Software: Software: Web: Web: Electronic Docs: Software: Software: Authoring Tool: Web: Electronic Docs: Software: Software: Software: Software: Authoring Tool: Web: Authoring Tool:	• 501 (Web)(Software)		
2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) Authoring Tool: Web: Electronic Docs: Software: Software: Software: Software: Software: Authoring Tool: Authoring Tool: Authoring Tool:	• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Authoring Tool: Web: Blectronic Docs: Software: Software: Software: Authoring Tool: Authoring Tool: Authoring Tool:	602.3 (Support Docs)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Authoring Tool: Web: Electronic Docs: Software: Software: Authoring Tool: Authoring Tool: Authoring Tool:	2.1.2 No Keyboard Trap (Level A)		
• 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) 2.2.4 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Authoring Tool: Web: Electronic Docs: Software: Software: Authoring Tool: Authoring Tool: Authoring Tool:	Also applies to:	Web:	Web:
 504.2 (Authoring Tool) 602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 Electronic Docs: Software: Software: Authoring Tool: 4 Web: Electronic Docs: Authoring Tool: Web: Electronic Docs: Software: Software: Authoring Tool: Web: Electronic Docs: Software: Software: Authoring Tool: Authoring Tool:	Revised Section 508	Electronic Docs:	Electronic Docs:
602.3 (Support Docs) 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: • Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: • Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Authoring Tool: Web: Web: Electronic Docs: Software: Software: Software: Authoring Tool: Authoring Tool:	• 501 (Web)(Software)	Software:	Software:
2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Revised Section 508 Revised Section 508 • 501 (Web)(Software) • 602.3 (Support Docs) Authoring Tool: Web: Web: Web: Web: Electronic Docs: Authoring Tool: Web: Web: Electronic Docs: Software: Authoring Tool: Authoring Tool: Authoring Tool: Web: Authoring Tool: Authoring Tool: Authoring Tool:	• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Revised Section 508 • 8 Electronic Docs: Software: Authoring Tool: Authoring Tool: Web: Web: Web: Web: Electronic Docs: Authoring Tool: Web: Web: Electronic Docs: Software: Authoring Tool: Web: Web: Web: Electronic Docs: Software: Software: Authoring Tool: Authoring Tool:	602.3 (Support Docs)		
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: • Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Electronic Docs: Web: Electronic Docs: Web: Electronic Docs: Software: Software: Authoring Tool: Authoring Tool: Web: Authoring Tool: Authoring Tool:	2.2.1 Timing Adjustable (Level A)		
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Web: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Software: Web: Electronic Docs: Software: Authoring Tool: Authoring Tool: Authoring Tool: 	Also applies to:	Web:	Web:
 504.2 (Authoring Tool) 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Web: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Authoring Tool: Web: Electronic Docs: Software: Authoring Tool: Authoring Tool: Authoring Tool: 	Revised Section 508	Electronic Docs:	Electronic Docs:
 602.3 (Support Docs) 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Web: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Web: Electronic Docs: Software: Authoring Tool: Authoring Tool: Authoring Tool:	• 501 (Web)(Software)	Software:	Software:
2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Web: Electronic Docs: Software: Authoring Tool: Web: Electronic Docs: Software: Authoring Tool: Authoring Tool:	• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Web: Web: Electronic Docs: Software: Authoring Tool: Authoring Tool:	• 602.3 (Support Docs)		
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Web: Electronic Docs: Software: Authoring Tool: Web: Electronic Docs: Software: Authoring Tool: Authoring Tool:	2.2.2 Pause, Stop, Hide (Level A)		
Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) Electronic Docs: Software: Authoring Tool: Authoring Tool:	Also applies to:)A/ab.	Wah.
 Software: 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Software: Authoring Tool: Authoring Tool:	•		
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) Authoring Tool: Authoring Tool:	Revised Section 508		
• 504.2 (Authoring Tool) • 602.3 (Support Docs)	• 501 (Web)(Software)		
	• 504.2 (Authoring Tool)	Authorning root.	Authorning root.
	602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)	2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 Electronic Docs: Electronic Docs:	Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software) Software: Software:	• 501 (Web)(Software)	Software:	Software:
504.2 (Authoring Tool) Authoring Tool: Authoring Tool:	• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)	• 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)	2.4.1 Bypass Blocks (Level A)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 Electronic Docs: Electronic Docs:	Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software) – Does not apply to non-web software Authoring Tool: Authoring Tool:	 501 (Web)(Software) – Does not apply to non-web software 	Authoring Tool:	Authoring Tool:
• 504.2 (Authoring Tool)	• 504.2 (Authoring Tool)		

Page **5** of **47**

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs) – Does not apply to non-web docs		
2.4.2 Page Titled (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
2.4.3 Focus Order (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
3.1.1 Language of Page (Level A)		M. I.
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs: Software:	Electronic Docs: Software:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)	Authornig 1001.	Additioning root.
3.2.1 On Focus (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
3.2.2 On Input (Level A)	Web:	Web:

Criteria	Conformance Level	Remarks and Explanations
Also applies to:	Electronic Docs:	Electronic Docs:
Revised Section 508	Software:	Software:
 501 (Web)(Software) 	Authoring Tool:	Authoring Tool:
 504.2 (Authoring Tool) 		
• 602.3 (Support Docs)		
3.3.1 Error Identification (Level A)	A.C. I.	Maria.
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
 501 (Web)(Software) 	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool	Authoring Tools
 602.3 (Support Docs) 	Authoring Tool:	Authoring Tool:
3.3.2 Labels or Instructions (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
4.1.1 Parsing (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
4.1.2 Name, Role, Value (Level A)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
 501 (Web)(Software) 	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
• 602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
• 602.3 (Support Docs)		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		
1.4.4 Resize text (Level AA)	NA/ - l	Wh.
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs: Software:
• 501 (Web)(Software)	Software:	Software.
 504.2 (Authoring Tool) 	Authoring Tool:	Authoring Tool:
• 602.3 (Support Docs)	Authorning 1001.	Authorning root.
1.4.5 Images of Text (Level AA)	M/ab.	Mah.
Also applies to:	Web: Electronic Docs:	Web: Electronic Docs:
Revised Section 508	Software:	Software:
• 501 (Web)(Software)	Authoring Tool:	Authoring Tool:
• 504.2 (Authoring Tool)	Authornig root.	Authorning root.

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
2.4.5 Multiple Ways (Level AA)		
Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
2.4.6 Headings and Labels (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
2.4.7 Focus Visible (Level AA)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.1.2 Language of Parts (Level AA)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
3.2.3 Consistent Navigation (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
3.2.4 Consistent Identification (Level AA)	Web:	Web:

Criteria	Conformance Level	Remarks and Explanations
Also applies to:	Electronic Docs:	Electronic Docs:
Revised Section 508	Authoring Tool:	Authoring Tool:
 501 (Web)(Software) – Does not apply to non-web software 		
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
3.3.3 Error Suggestion (Level AA)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
• 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:	Web:	Web:
Revised Section 508	Electronic Docs:	Electronic Docs:
• 501 (Web)(Software)	Software:	Software:
• 504.2 (Authoring Tool)	Authoring Tool:	Authoring Tool:
602.3 (Support Docs)		

Table 3: Success Criteria, Level AAA

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
1.2.7 Extended Audio Description (Prerecorded) (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
1.2.8 Media Alternative (Prerecorded) (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		

1.2.9 Audio-only (Live) (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.6 Contrast Enhanced Also applies to: Revised Section 508 – Does not apply 1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.2.3 No Timing (Level AAA)	Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply 1.4.6 Contrast Enhanced (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply	1.2.9 Audio-only (Live) (Level AAA)		
1.4.6 Contrast Enhanced (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Also applies to:	Web:	Web:
Also applies to: Revised Section 508 – Does not apply 1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		
Revised Section 508 – Does not apply 1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply	1.4.6 Contrast Enhanced (Level AAA)		
1.4.7 Low or No Background Audio (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply	Also applies to:	Web:	Web:
Also applies to: Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		
Revised Section 508 – Does not apply 1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web:	1.4.7 Low or No Background Audio (Level AAA)		
1.4.8 Visual Presentation (Level AAA) Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web: Web: Web: Web:	Also applies to:	Web:	Web:
Also applies to: Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web: Web: Web: Web: Web:	Revised Section 508 – Does not apply		
Revised Section 508 – Does not apply 1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web:	1.4.8 Visual Presentation (Level AAA)		
1.4.9 Images of Text (No Exception) Control (Level AAA) Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web: Web:	Also applies to:	Web:	Web:
Also applies to: Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web: Web:	Revised Section 508 – Does not apply		
Revised Section 508 – Does not apply 2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web:	1.4.9 Images of Text (No Exception) Control (Level AAA)		
2.1.3 Keyboard (No Exception) (Level AAA) Also applies to: Revised Section 508 – Does not apply Web: Web:	Also applies to:	Web:	Web:
Also applies to: Revised Section 508 – Does not apply Web: Web:	Revised Section 508 – Does not apply		
Revised Section 508 – Does not apply	2.1.3 Keyboard (No Exception) (Level AAA)		
	Also applies to:	Web:	Web:
2.2.3 No Timing (Level AAA)	Revised Section 508 – Does not apply		
	2.2.3 No Timing (Level AAA)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		
2.2.4 Interruptions (Level AAA)	2.2.4 Interruptions (Level AAA)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		
2.2.5 Re-authenticating (Level AAA)	2.2.5 Re-authenticating (Level AAA)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		
2.3.2 Three Flashes (Level AAA)	2.3.2 Three Flashes (Level AAA)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		
2.4.8 Location (Level AAA)	2.4.8 Location (Level AAA)		
Also applies to: Web: Web:	Also applies to:	Web:	Web:
Revised Section 508 – Does not apply	Revised Section 508 – Does not apply		

Criteria	Conformance Level	Remarks and Explanations
2.4.9 Link Purpose (Link Only) (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
2.4.10 Section Headings (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.1.3 Unusual Words (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.1.4 Abbreviations (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.1.5 Reading Level (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.1.6 Pronunciation (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.2.5 Change on Request (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.3.5 Help (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		
3.3.6 Error Prevention (All) (Level AAA)		
Also applies to:	Web:	Web:
Revised Section 508 – Does not apply		

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

302 Functional Performance Criteria

#	Criteria	Conformance Level	Remarks and Explanations
302.1	Without Vision.		
	Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.	Supports	Mechanical buttons for power and Bluetooth are easily discernable by touch.
302.2	With Limited Vision.		
	Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.	Supports	Call-control Icons (mute, answer, volume keys) are lit in high contrast. Mechanical buttons for power and Bluetooth are easily discernable by touch.
302.3	Without Perception of Color.		
	Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	Supports	Items are displayed in high contrast. Mechanical buttons for power and Bluetooth are easily discernable by touch.
302.4	Without Hearing.		
	Where an audible mode of	Supports	Items are displayed in high contrast.

		T	
	operation is provided, ICT		Machanical buttons for naugar and Blustooth are easily discoursely by
	shall provide at least one		Mechanical buttons for power and Bluetooth are easily discernable by touch.
	mode of operation that does		touch.
	not require user hearing.		
302.5	With Limited Hearing.		
	Where an audible mode of	Supports	Items are displayed in high contrast and accompanied with audio tone
	operation is provided, ICT		when pressed.
	shall provide at least one		Markarialla Harristan Phartagaria
	mode of operation that		Mechanical buttons for power and Bluetooth are easily discernable by
	enables users to make use of		touch and accompanied by audio tones when pressed.
	limited hearing.		
302.6	Without Speech.		
	Where speech is used for	Not Applicable	Calisto 7200 is an open-air speakerphone without any display.
	input, control, or operation,		
	ICT shall provide at least one		
	mode of operation that does		
	not require user speech.		
302.7	With Limited Manipulation.		
	Where a manual mode of		Physical operation does not require fine motor control or simultaneous
	operation is provided, ICT		actions.
	shall provide at least one		
	mode of operation that does		Visible and touchable elements of the user interface are designed in a
	not require fine motor		way that they are visually separable (e.g. contrast, separated) and meet
	control or simultaneous	Supports	the minimum touch target size of 48dp wherever possible.
	manual operations.		6
			The product features dedicated volume control touch buttons (volume
			up/down, mute and answer/hang-up)
302.8	With Limited Reach and Stren	gth.	
	Where a manual mode of	Supports	Touch sensitive call-control interface is responsive is slightest human
	operation is provided, ICT		touch.
	shall provide at least one		
	•	1	1

	mode of operation that is operable with limited reach and limited strength.		
302.9	With Limited Language, Cogni	tive, and Learning Abilities.	
	ICT shall provide features making its use by individuals with limited cognitive, language, and learning	Supports	Calisto 7200 uses universally accepted visual icons for Hang-up, Mute and Volume changes (increase/decrease on the touchpad).
	abilities simpler and easier.		

Chapter 4: Hardware

Notes:

401 General

401.1 Scope. The requirements of Chapter 4 shall apply to ICT that is hardware where required by 508 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

402 Closed Functionality

#	Criteria	Conformance Level	Remarks and Explanations
40	02.1 General.		
	ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.

402.2 Speech-Output Enabled.				
ICT with a display screen shall be	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
speech-output enabled for full and		display that is used with a PC/laptop/mobile or tablet.		
independent use by individuals				
with vision impairments.				
EXCEPTIONS:				
1. Variable message signs				
conforming to 402.5 shall not be				
required to be speech-output				
enabled.				
2. Speech output shall not be				
required where ICT display screens				
only provide status indicators and				
those indicators conform to 409.				
3. Where speech output cannot be				
supported due to constraints in				
available memory or processor				
capability, ICT shall be permitted to				
conform to 409 in lieu of 402.2.				
4. Audible tones shall be permitted				
instead of speech output where				
the content of user input is not				
displayed as entered for security				
purposes, including, but not limited				
to, asterisks representing personal				
identification numbers.				
5. Speech output shall not be				
required for: the machine location;				
date and time of transaction;				
customer account number; and the				
machine identifier or label.				
6. Speech output shall not be				
required for advertisements and				
other similar information unless				

they convey information that can		
be used for the transaction being		
conducted.		
102.2.1 Information Displayed On-Scr	een.	
Speech output shall be provided	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
for all information displayed on-		display that is used with a PC/laptop/mobile or tablet.
screen.		
102.2.2 Transactional Outputs.		
Where transactional outputs are	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
provided, the speech output shall		display that is used with a PC/laptop/mobile or tablet.
audibly provide all information		
necessary to verify a transaction.		
102.2.3 Speech Delivery Type and Coo		
Speech output shall be delivered	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
through a mechanism that is		display that is used with a PC/laptop/mobile or tablet.
readily available to all users,		
including, but not limited to, an		
industry standard connector or a		
telephone handset. Speech shall be		
recorded or digitized human, or		
synthesized. Speech output shall		
be coordinated with information		
displayed on the screen.		
02.2.4 User Control.		
Speech output for any single	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
function shall be automatically		display that is used with a PC/laptop/mobile or tablet.
interrupted when a transaction is		
selected. Speech output shall be		
capable of being repeated and		
paused.		
02.2.5 Braille Instructions.		
Where speech output is required	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
by 402.2, braille instructions for		display that is used with a PC/laptop/mobile or tablet.
by 402.2, braine instructions for		display that is ased with a regiaptop/illoshe or tablet.

	T	T	
	initiating the speech mode of		
	operation shall be provided. Braille		
	shall be contracted and shall		
	conform to 36 CFR part 1191,		
	Appendix D, Section 703.3.1.		
	EXCEPTION : Devices for personal		
	use shall not be required to		
	conform to 402.2.5.		
4	02.3 Volume.		
	ICT that delivers sound, including	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	speech output required by 402.2,		display that is used with a PC/laptop/mobile or tablet.
	shall provide volume control and		
	output amplification conforming to		
	402.3.		
	EXCEPTION : ICT conforming to		
	412.2 shall not be required to		
	conform to 402.3.		
4	02.3.1 Private Listening.		
	Where ICT provides private	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	listening, it shall provide a mode of		display that is used with a PC/laptop/mobile or tablet.
	operation for controlling the		
	volume. Where ICT delivers output		
	by an audio transducer typically		
	held up to the ear, a means for		
	effective magnetic wireless		
	coupling to hearing technologies		
Ц		l	

shall be provided.		
402.3.2 Non-private Listening.		
Where ICT provides non-private listening, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
02.4 Characters on Display Screens.		
At least one mode of characters displayed on the screen shall be in a sans serif font. Where ICT does not provide a screen enlargement feature, characters shall be 3/16 inch (4.8 mm) high minimum based on the uppercase letter "I". Characters shall contrast with their background with either light characters on a dark background or dark characters on a light background.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
Characters on Variable Message Characters on variable message signs shall conform to section 703.7 Variable Message Signs of ICC A117.1-2009 (incorporated by reference, see 702.6.1).	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.

403 Biometrics

# Criteria	Conformance Level	Remarks and Explanations
403.1 General.		
Where provided, biometrics shall not be the only means for user identification or control.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
EXCEPTION : Where at least two biometric options that use different biological characteristics are provided, ICT shall be permitted to use biometrics as the only means for user identification or control.		

404 Preservation of Information Provided for Accessibility

#	Criteria	Conformance Level	Remarks and Explanations
4	04.1 General.		
	ICT that transmits or converts	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	information or communication		display that is used with a PC/laptop/mobile or tablet.
	shall not remove non-proprietary		
	information provided for		
	accessibility or shall restore it upon		
	delivery.		

405 Privacy

#	Criteria	Conformance Level	Remarks and Explanations
4	05.1 General.		
	The same degree of privacy of	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	input and output shall be provided		display that is used with a PC/laptop/mobile or tablet.
	to all individuals. When speech		
	output required by 402.2 is		
	enabled, the screen shall not blank		
	automatically.		

406 Standard Connections

#	Criteria	Conformance Level	Remarks and Explanations
4	06.1 General.		
	Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary	Supports	Calisto 7200 is an open-air USB/Bluetooth speakerphone that conforms to industry standards for use with PCs/laptops/mobiles or tablets.
	formats.		

407 Operable Parts

#	Criteria	Conformance Level	Remarks and Explanations
40	07.1 General.		
	Where provided, operable parts		
	used in the normal operation of ICT		
	shall conform to 407.		
40	407.2 Contrast		
	Where provided, keys and controls	Supports	Visible and touchable elements of the user interface are designed in a
	shall contrast visually from		way that they are visually separable (e.g. contrast, separated) and meet
	background surfaces. Characters		the minimum touch target size of 48dp wherever possible.
	and symbols shall contrast visually		the minimum todan tanget size of loap wherever possible.
	from background surfaces with		

either light characters or symbols on a dark background or dark characters or symbols on a light background.

The product features dedicated volume control touch buttons (volume up/down, mute and answer/hang-up) and LED light pipe that indicates call states

107.3 Input Controls				
At least one input control				
conforming to 407.3 shall be				
provided for each function.				
EXCEPTION: Devices for personal				
use with input controls that are				
audibly discernable without				
activation and operable by touch				
shall not be required to conform to				
407.3.				
407.3.1 Tactilely Discernable				
Input controls shall be operable by	Supports	Mechanical push-buttons on Calisto 7200 for power and Bluetooth are		
touch and tactilely discernible		easily discernable.		
without activation.				
407.3.2				
407.3.2 Alphabetic Keys				
Where provided, individual	Not Applicable	Calisto 7200 is a USB/Bluetooth speakerphone, where controls are		
alphabetic keys shall be arranged		limited to Answer, Mute, Volume keys.		
in a QWERTY-based keyboard				
layout and the "F" and "J" keys				
shall be tactilely distinct from the				
other keys.				
407.3.3 Numeric Keys				
Where provided, numeric keys	Not Applicable	Calisto 7200 is a USB/Bluetooth speakerphone, where controls are		
shall be arranged in a 12-key		limited to Answer, Mute, Volume keys.		
ascending or descending keypad				
layout. The number five key shall				
be tactilely distinct from the other				
keys. Where the ICT provides an				
alphabetic overlay on numeric				
keys, the relationships between				
letters and digits shall conform to				

T	T	
ITU-T Recommendation E.161		
(incorporated by reference, see		
702.7.1).		
407.4 Key Repeat		
Where a keyboard with key repeat		
is provided, the delay before the		Mechanical push-buttons for Power and Bluetooth interfaces ignore key
key repeat feature is activated shall	Supports	repeat presses less than 2 seconds.
be fixed at, or adjustable to, 2		Topour process loss than 2 seconds.
seconds minimum.		
407.5 Timed Response		
Where a timed response is		
required, the user shall be alerted		No timed responses are required except for pairing with Bluetooth hosts
visually, as well as by touch or	Supports	(mobile phones, tablets, laptops and computers), where user is given 120 seconds to respond and an accompanying audio tone signifies that pairing mode has been initiated.
sound, and shall be given the	Oupports	
opportunity to indicate that more		
time is needed.		
407.6 Operation		
At least one mode of operation		
shall be operable with one hand		
and shall not require tight grasping,		Markey State and Latter for Brown and Black at State for a constitute of
pinching, or twisting of the wrist.	Supports	Mechanical push-buttons for Power and Bluetooth interfaces can be activated with one-hand.
The force required to activate		with one nand.
operable parts shall be 5 pounds		
(22.2 N) maximum.		
407.7 Tickets, Fare Cards, and Keycard	S.	
Where tickets, fare cards, or	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
keycards are provided, they shall	-	display that is used with a PC/laptop/mobile or tablet.
have an orientation that is tactilely		
discernible if orientation is		
important to further use of the		
ticket, fare card, or keycard.		

407.8 Reach Height and Depth.				
At least one of each type of	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
operable part of stationary ICT		display that is used with a PC/laptop/mobile or tablet with overall		
shall be at a height conforming to		dimensions of 11cm X 11cm X 2.5cm.		
407.8.2 or 407.8.3 according to its		amicholono or 110m x 110m x 2100m		
position established by the vertical				
reference plane specified in				
407.8.1 for a side reach or a				
forward reach. Operable parts used				
with speech output required by				
402.2 shall not be the only type of				
operable part complying with				
407.8 unless that part is the only				
operable part of its type.				
407.8.1 Vertical Reference Plane.				
Operable parts shall be positioned	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
for a side reach or a forward reach		display that is used with a PC/laptop/mobile or tablet with overall		
determined with respect to a		dimensions of 11cm X 11cm X 2.5cm.		
vertical reference plane. The				
vertical reference plane shall be				
located in conformance to 407.8.2				
or 407.8.3.				
407.8.1.1 Vertical Plane for Side Reach				
Where a side reach is provided, the	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
vertical reference plane shall be 48		display that is used with a PC/laptop/mobile or tablet with overall		
inches (1220 mm) long minimum.		dimensions of 11cm X 11cm X 2.5cm.		
407.8.1.2 Vertical Plane for Forward Reach.				
Where a forward reach is provided,	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
the vertical reference plane shall		display that is used with a PC/laptop/mobile or tablet with overall		
be 30 inches (760 mm) long		dimensions of 11cm X 11cm X 2.5cm.		
minimum.				
407.8.2 Side Reach.				
Operable parts of ICT providing a	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		

side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.		display that is used with a PC/laptop/mobile or tablet with overall dimensions of 11cm X 11cm X 2.5cm.
407.8.2.1 Unobstructed Side Reach		
Operable parts of ICT providing a side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet with overall dimensions of 11cm X 11cm X 2.5cm.
407.8.2.2 Obstructed Side Reach		
Where the operable part is located more than 10 inches (255 mm), but not more than 24 inches (610 mm), beyond the vertical reference plane, the height of the operable part shall be 46 inches (1170 mm)	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet with overall dimensions of 11cm X 11cm X 2.5cm.

	<u></u>	
high maximum and 15 inches (380		
mm) high minimum above the		
floor. The operable part shall not		
be located more than 24 inches		
(610 mm) beyond the vertical		
reference plane.		
407.8.3 Forward Reach.		
Operable parts of ICT providing a	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
forward reach shall conform to		display that is used with a PC/laptop/mobile or tablet with overall
407.8.3.1 or 407.8.3.2. The vertical		dimensions of 11cm X 11cm X 2.5cm.
reference plane shall be centered,		
and intersect with, the operable		
part. Where a forward reach allows		
a reach over a portion of the ICT,		
the height of that portion of the		
ICT shall be 34 inches (865 mm)		
maximum.		
407.8.3.1 Unobstructed Forward Reacl	ո.	
Where the operable part is located	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
at the leading edge of the		display that is used with a PC/laptop/mobile or tablet with overall
maximum protrusion within the		dimensions of 11cm X 11cm X 2.5cm.
length of the vertical reference		
plane of the ICT, the operable part		
shall be 48 inches (1220 mm) high		
maximum and 15 inches (380 mm)		
high minimum above the floor.		
407.8.3.2 Obstructed Forward Reach.		
Where the operable part is located	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
beyond the leading edge of the		display that is used with a PC/laptop/mobile or tablet with overall
maximum protrusion within the		dimensions of 11cm X 11cm X 2.5cm.
length of the vertical reference		
plane, the operable part shall		
conform to 407.8.3.2. The		

maximum allowable forward reach		
to an operable part shall be 25		
inches (635 mm).		
407.8.3.2.1 Operable Part Height for I	CT with Obstructed Forward	Reach.
The height of the operable part	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
shall conform to Table 407.8.3.2.1.		display that is used with a PC/laptop/mobile or tablet with overall
		dimensions of 11cm X 11cm X 2.5cm.
Link to table		
407.8.3.2.2 Knee and Toe Space under		
Knee and toe space under ICT shall	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
be 27 inches (685 mm) high		display that is used with a PC/laptop/mobile or tablet with overall
minimum, 25 inches (635 mm)		dimensions of 11cm X 11cm X 2.5cm.
deep maximum, and 30 inches (760		
mm) wide minimum and shall be		
clear of obstructions.		
EXCEPTIONS:		
1. Toe space shall be permitted to		
provide a clear height of 9 inches		
(230 mm) minimum above the		
floor and a clear depth of 6 inches		
(150 mm) maximum from the		
vertical reference plane toward the		
leading edge of the ICT.		
2. At a depth of 6 inches (150 mm)		
maximum from the vertical		
reference plane toward the leading		
Terefered plane toward the leading		

edge of the ICT, space between 9	
inches (230 mm) and 27 inches	
(685mm) minimum above the floor	
shall be permitted to reduce at a	
rate of 1 inch (25 mm) in depth for	
every 6 inches (150 mm) in height.	

408 Display Screens

#	Criteria	Conformance Level	Remarks and Explanations		
4	108.1 General.				
	Where provided, display screens shall conform to 408.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet with overall dimensions of 11cm X 11cm X 2.5cm.		
4	08.2 Visibility				
	Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be visible from a point located 40 inches (1015 mm) above the floor space where the display screen is viewed.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet with overall dimensions of 110mm X 110mm X 28.6mm.		
4	08.3 Flashing				
	Where ICT emits lights in flashes, there shall be no more than three flashes in any one-second period.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet with overall dimensions of 11cm X 11cm X 2.5cm.		
	EXCEPTION: Flashes that do not exceed the general flash and red flash thresholds defined in WCAG 2.0 (incorporated by reference, see 702.10.1) are not required to				

conform to 408.3.		

409 Status Indicators

Conformance Level	Remarks and Explanations			
409.1 General				
Supports	Calisto 7200 operation status – Power On/Off, Bluetooth Pairing/On, Incall, In-call mute states are visually discernable through LED lightpipe and back-lit icons on the touch interface for call control and.			

410 Color Coding

#	Criteria	Conformance Level	Remarks and Explanations	
4	410.1 General			
	Where provided, color coding shall	Supports	On Calisto 7200 incoming call alert, microphone mute, call-hangup and	

not be used as the only means of	volume changes are conveyed both visually and though audible tones.
conveying information, indicating	
an action, prompting a response,	
or distinguishing a visual element.	

411 Audible Signals

#	Criteria	Conformance Level	Remarks and Explanations
410.3	1 General		
cu m in	Where provided, audible signals or ues shall not be used as the only neans of conveying information, adicating an action, or prompting response	Supports	On Calisto 7200 incoming call alert, microphone mute, call-hang up and volume changes are conveyed both visually and though audible tones.

412 ICT with Two-Way Voice Communication

#	Criteria	Conformance Level	Remarks and Explanations		
4:	412.1 General				
	Where provided, audible signals or cues shall not be used as the only	Supports	On Calisto 7200 incoming call alert, microphone mute, call-hangup and volume changes are conveyed both visually and though audible tones.		
	means of conveying information, indicating an action, or prompting				
1	a response 12.2 Volume Gain				
4.	ICT that provides two-way voice	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
	communication shall conform to 412.2.1 or 412.2.2.		display that is used with a PC/laptop/mobile or tablet.		
4:	12.2.1 Volume Gain for Wireline Tele	phones.			
	Volume gain conforming to 47 CFR	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
	68.317 shall be provided on analog		display that is used with a PC/laptop/mobile or tablet.		
	and digital wireline telephones.				
4:	12.2.2 Volume Gain for Non-Wireline				
	A method for increasing volume	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
	shall be provided for non-wireline ICT.		display that is used with a PC/laptop/mobile or tablet.		
4:	12.3 Interference Reduction and Mag	netic Coupling.			
	Where ICT delivers output by a handset or other type of audio transducer that is typically held up to the ear, ICT shall reduce interference with hearing technologies and provide a means for effective magnetic wireless coupling in conformance with 412.3.1 or 412.3.2.	Not Applicable	As an open-air speakerphone Calisto 7200 is designed for use by groups in a room and is not normally held up to the ear.		
4:	12.3.1 Wireless Handsets.				
	ICT in the form of wireless handsets	Not Applicable	As an open-air speakerphone Calisto 7200 is designed for use by groups		

	T	
shall conform to ANSI/IEEE C63.19-		in a room and is not normally held up to the ear.
2011 (incorporated by reference, see		
702.5.1).		
412.3.2 Wireline Handsets.		
ICT in the form of wireline handsets,		
including cordless handsets, shall	Not Applicable	As an open-air speakerphone Calisto 7200 is designed for use by groups
conform to TIA-1083-B (incorporated	Not Applicable	in a room and is not normally held up to the ear.
by reference, see702.9.1).		
412.4 Digital Encoding of Speech		<u> </u>
ICT in IP-based networks shall transmit and receive speech that is digitally encoded in the manner specified by ITU-T Recommendation G.722.2 (incorporated by reference, see 702.7.2) or IETF RFC 6716 (incorporated by reference, see 702.8.1). 412.5 Real-Time Text Functionality. Reserved – Note that FCC have NOPR for RTT for Wireline IP	Not Applicable Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet, where all encryption is handled by telephony softclient applications running on the PC/laptop/mobile/tablets or over cellular network on mobile or tablets. Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
products. Link		
412.6 Caller ID.	Nick Accelioch!	Calista 7200 is an array six LICD/Dhasta ath arrad arraba
Where provided, caller identification and similar telecommunications	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
functions shall be visible and		display that is used with a PC/laptop/mobile or tablet.
audible.		
412.7 Video Communication.		C 1: 1 7200: : 11CD/DL + 11
Where ICT provides real-time video	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
functionality, the quality of the video		display that is used with a PC/laptop/mobile or tablet.
shall be sufficient to support		
communication using sign language.		

413 Closed Caption Processing Technologies

#	Criteria	Conformance Level	Remarks and Explanations			
4:	413.1 General.					
	Where ICT displays or processes video with synchronized audio, ICT shall provide closed caption processing technology that conforms to 413.1.1 or 413.1.2.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.			
4:	13.1.1 Decoding and Display of Close	d Captions.				
	Players and displays shall decode closed caption data and support display of captions.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.			
4:	413.1.2 Pass-Through of Closed Caption Data.					
	Cabling and ancillary equipment shall pass through caption data.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.			

414 Audio Description Processing Technologies.

# Criteria	Conformance Level	Remarks and Explanations				
414.1 General.	114.1 General.					
Where ICT displays or processes video with synchronized audio, ICT shall provide audio description processing technology conforming	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.				
to 414.1.1 or 414.1.2.						
414.1.1 Digital Television Tuners.						
Digital television tuners shall provide audio description processing that conforms to ATSC A/53 Digital Television Standard, Part 5 (2014) (incorporated by reference, see 702.2.1). Digital television tuners shall provide processing of audio description when encoded as a Visually Impaired (VI) associated audio service that is provided as a complete program mix containing audio description according to the ATSC A/53 standard.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.				

4:	414.1.2 Other ICT.				
# Criteria Conformance Level Remarks and Explanations					
	ICT other than digital television	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any		
	tuners shall provide audio		display that is used with a PC/laptop/mobile or tablet.		
	description processing.				

415 User Controls for Captions and Audio Descriptions.

#	Criteria	Conformance Level	Remarks and Explanations
4:	L5.1 General		
	Where ICT displays video with	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	synchronized audio, ICT shall		display that is used with a PC/laptop/mobile or tablet.
	provide user controls for closed		
	captions and audio descriptions		
	conforming to 415.1.		
	EXCEPTION: Devices for personal		
	use shall not be required to		
	conform to 415.1 provided that		
	captions and audio descriptions		
	can be enabled through system-		
	wide platform settings.		
4:	L5.1.1 Caption Controls		
	Where ICT provides operable parts	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	for volume control, ICT shall also		display that is used with a PC/laptop/mobile or tablet.
	provide operable parts for caption		
_	selection.		
4:	15.1.2 Audio Description Controls		
	Where ICT provides operable parts	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any
	for program selection, ICT shall also		display that is used with a PC/laptop/mobile or tablet.
	provide operable parts for the		
	selection of audio description.		

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA		
The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.		
EXCEPTION: Where Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services, they shall not be required to conform to 502 or 503 provided that they conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).	See <u>WCAG 2.0</u> section	See information in WCAG section
Note Where the requirements in Chapter 5 does not address one or more functions of telecommunications or customer premises equipment, the functions not addressed shall conform to the Functional Performance Criteria specified in Chapter 3.		

502 Interoperability with Assistive Technology

# Criteria	Conformance Level	Remarks and Explanations
502.1 General.		
Software shall interoperate with assistive technology and shall		
conform to 502.		
EXCEPTION: ICT conforming to 402 shall not be required to conform to 502.		
502.2 Documented Accessibility Features.		·
Software with platform features defined in platform documentation as accessibility features shall conform to 502.2.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.2.1 User Control of Accessibility Features.		
Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features. Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
E02.2 Accessibility Complete		
Platform software and software tools that are provided by the platform developer shall provide a documented set of accessibility services that support applications running on the platform to interoperate with assistive technology and shall conform to 502.3. Applications that are also platforms shall expose the underlying platform accessibility services or implement other documented accessibility services	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.1 Object Information.		
The object role, state(s), properties, boundary, name, and	Not Applicable	Calisto 7200 is an open-air

description shall be programmatically determinable.		USB/Bluetooth speakerphone
		without any display that is used with
		a PC/laptop/mobile or tablet.
2.3.2 Modification of Object Information.		
States and properties that can be set by the user shall be capable	Not Applicable	Calisto 7200 is an open-air
of being set programmatically, including through assistive		USB/Bluetooth speakerphone
technology.		without any display that is used with
		a PC/laptop/mobile or tablet.
2.3.3 Row, Column, and Headers.		
If an object is in a data table, the occupied rows and columns, and	Not Applicable	Calisto 7200 is an open-air
any headers associated with those rows or columns, shall be		USB/Bluetooth speakerphone
programmatically determinable.		without any display that is used with
		a PC/laptop/mobile or tablet.
2.3.4 Values.		
Any current value(s), and any set or range of allowable values	Not Applicable	Calisto 7200 is an open-air
associated with an object, shall be programmatically determinable		USB/Bluetooth speakerphone
		without any display that is used with
		a PC/laptop/mobile or tablet.
2.3.5 Modification of Values.		
Values that can be set by the user shall be capable of being set	Not Applicable	Calisto 7200 is an open-air
programmatically, including through assistive technology.		USB/Bluetooth speakerphone
		without any display that is used with
		a PC/laptop/mobile or tablet.
2.3.6 Label Relationships.		
Any relationship that a component has as a label for another	Not Applicable	Calisto 7200 is an open-air
component, or of being labeled by another component, shall be		USB/Bluetooth speakerphone
programmatically determinable.		without any display that is used with
programmation, accermination		a PC/laptop/mobile or tablet.
2.3.7 Hierarchical Relationships.		
Any hierarchical (parent-child) relationship that a component has	Not Applicable	Calisto 7200 is an open-air
as a container for, or being contained by, another component shal	• •	USB/Bluetooth speakerphone
be programmatically determinable.		without any display that is used with
• •		a PC/laptop/mobile or tablet.

502.3.8 Text.		
The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.9 Modification of Text.		·
Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.10 List of Actions.		
A list of all actions that can be executed on an object shall be programmatically determinable.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.11 Actions on Objects.		, , , ,
Applications shall allow assistive technology to programmatically execute available actions on objects.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.12 Focus Cursor.		
Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.13 Modification of Focus Cursor.		·
Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
502.3.14 Event Notification.		
Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name,	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone

	description, or boundary, shall be available to assistive technology.		without any display that is used with a PC/laptop/mobile or tablet.
50	02.4 Platform Accessibility Features.		
	Platforms and platform software shall conform to the requirements in ANSI/HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) (incorporated by reference, see 702.4.1) listed below:		
Α	Section 9.3.3 Enable sequential entry of multiple (chorded) keystrokes;	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
В	Section 9.3.4 Provide adjustment of delay before key acceptance;	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
С	Section 9.3.5 Provide adjustment of same-key double-strike acceptance;	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
D	Section 10.6.7 Allow users to choose visual alternative for audio output;	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
E	Section 10.6.8 Synchronize audio equivalents for visual events;	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
F	Section 10.6.9 Provide speech output services; and	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
G	Section 10.7.1 Display any captions provided.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone

without any display that is used with
a PC/laptop/mobile or tablet.

503 Applications

# Criteria	Conformance Level	Remarks and Explanations
503.1 General		
Applications shall conform to 503.		
503.2 User Preferences.		
Applications shall permit user preferences from platform settings	Not Applicable	Calisto 7200 is an open-air USB/BT
for color, contrast, font type, font size, and focus cursor.		Speakerphone without any display.
EXCEPTION: Applications that are designed to be isolated from		
their underlying platform software, including Web applications,		
shall not be required to conform to 503.2.		
503.3 Alternative User Interfaces.		
Where an application provides an alternative user interface that	Not Applicable	Calisto 7200 is an open-air USB/BT
functions as assistive technology, the application shall use		Speakerphone without any display.
platform and other industry standard accessibility services.		
503.4 User Controls for Captions and Audio Description.		
Where ICT displays video with synchronized audio, ICT shall	Not Applicable	Calisto 7200 is an open-air USB/BT
provide user controls for closed captions and audio descriptions conforming to 503.4.		Speakerphone without any display.
503.4.1 Caption Controls		
Where user controls are provided for volume adjustment, ICT shall	Not Applicable	Calisto 7200 is an open-air USB/BT
provide user controls for the selection of captions at the same		Speakerphone without any display.
menu level as the user controls for volume or program selection.		
503.4.2 Audio Description Controls		
Where user controls are provided for program selection, ICT shall	Not Applicable	Calisto 7200 is an open-air
provide user controls for the selection of audio descriptions at the		USB/Bluetooth speakerphone
same menu level as the user controls for volume or program		without any display that is used with

selection. a PC/laptop/mobile or tablet.	selection.	a Po	
--	------------	------	--

504 Authoring Tools

# Criteria	Conformance Level	Remarks and Explanations
504.1 General.		
Where an application is an authoring tool, the application shal conform to 504 to the extent that information required for accessibility is supported by the destination format.	Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
504.2 Content Creation or Editing.		
Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option overriding information required for accessibility. EXCEPTION: Authoring tools shall not be required to conform 504.2 when used to directly edit plain text source code.	n of	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion.		
Authoring tools shall, when converting content from one form to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format. 504.2.2 PDF Export.	at Not Applicable	Calisto 7200 is an open-air USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
Authoring tools capable of exporting PDF files that conform to	ISO Not Applicable	Calisto 7200 is an open-air
32000-1:2008 (PDF 1.7) shall also be capable of exporting PDF that conform to ANSI/AIIM/ISO 14289-1:2016 (PDF/UA-1) (incorporated by reference, see 702.3.1).		USB/Bluetooth speakerphone without any display that is used with a PC/laptop/mobile or tablet.
504.3 Prompts.		

	Authoring tools shall provide a mode of operation that prompts		
	authors to create content that conforms to Level A and Level AA		
	Success Criteria and Conformance Requirements in WCAG 2.0		
	(incorporated by reference, see 702.10.1) for supported features		
	and, as applicable, to file formats supported by the authoring tool.		
50	04.4 Templates.		
	Where templates are provided, templates allowing content	Not Applicable	Calisto 7200 is an open-air
	creation that conforms to Level A and Level AA Success Criteria		USB/Bluetooth speakerphone
	and Conformance Requirements in WCAG 2.0 (incorporated by		without any display that is used with
	reference, see 702.10.1) shall be provided for a range of template		a PC/laptop/mobile or tablet.
	uses for supported features and, as applicable, to file formats		
	supported by the authoring tool.		

Chapter 6: Support Documentation and Services

#	Criteria	Conformance Level	Remarks and Explanations
601	.1 Scope	Heading cell – no response required	
	The technical requirements in Chapter 6 shall apply to ICT		
	support documentation and services where required by 508		
	Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping		
	Requirements), and where otherwise referenced in any other		
	chapter of the Revised 508 Standards or Revised 255 Guidelines.		
602	.1 General.		
	Documentation that supports the use of ICT shall conform to 602.	Supports	
602	.2 Accessibility and Compatibility Features.		
	Documentation shall list and explain how to use the accessibility	Supports	The user guide includes a section on
	and compatibility features required by Chapters 4 and 5.		accessibility features available on
	Documentation shall include accessibility features that are built-in		Calisto 7200 and how to use those
	and accessibility features that provide compatibility with assistive		features.
	technology.		
602	3 Electronic Support Documentation.		
	Documentation in electronic format, including Web-based self-	Supports	All documentation is provided in
	service support, shall conform to Level A and Level AA Success		PDFs and HTML, which are posted on
	Criteria and Conformance Requirements in WCAG 2.0		our Support site.
	(incorporated by reference, see 702.10.1).		
602	.4 Alternate Formats for Non-Electronic Support Documentation		
	Where support documentation is only provided in non-electronic	Supports	The setup sheet is printed document
	formats, alternate formats usable by individuals with disabilities		provided in the box with the product.
	shall be provided upon request.		An online version of the setup sheet
			is also posted on the Support site.

603 Support Services

# Criteria	Conformance Level	Remarks and Explanations	
603.1 General			
ICT support services including, but not limited to, help desks, call centers, training services, and automated self-service technical support, shall conform to 603.	Supports	All support queries will be handled through web-based customer forum linked to https://www.plantronics.com/us/en/support/product/calisto-7200	
603.2 Information on Accessibility and Compatibility Features.			
ICT support services shall include information on the accessibility and compatibility features required by 602.2.	Supports	https://www.plantronics.com/us/en/support/product/calisto-7200 will include details on interoperability and user guide and FAQs	
603.3 Accommodation of Communication Needs.			
Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.	Supports	All support queries will be handled through web-based customer forum linked to https://www.plantronics.com/us/en/support/product/calisto-7200	

Legal Disclaimer (Company)

All contents copyright © 2018 Polycom, Inc. All rights reserved.

This information is true and correct to the best of our knowledge as of the date above.

This information is supplied for market research purposes only, and is subject to change without notice. The contents of this document do not constitute legal advice, representation, warranty or guarantee regarding the products described, and make no claims regarding anyone's ability to comply with applicable accessibility requirements. Such a determination is the sole responsibility of the purchaser.